

METAL PRESSURE PLATE FOR FASTENING SYNTHETIC AND BITUMEN MEMBRANES



	Number	ETA-08/0285 Annex 1:9	
1	Unique identification code of the product-type:	Guardian SP 50	
2	Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):	See product label	
3	Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:	Metal pressure plate for fastening of synthetic or bitumen based roof cover membranes	
1	Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):	Guardian BV, Grasbeemd 14, 5705 DG Helmond, Netherlands	
		Guardian Fastening System	
5	Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):	Not relevant	
5	System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:	2+	
7	In case of the declaration of performance concerning a construction product covered by a harmonized standard: - name and identification number of the notified body: - body, system for the assessment/verification of the constancy of performance: - certificate of conformity of the factory production control:	ETA ETA	ducer: Guardian B.V. v.guardian.nl 0 006 08/0285 : 1071-CPR-1510 ackaging
3	In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued: - name and id- number of the Technical Assessment Body: - harmonized technical specification: - European Technical Assessment / approval: - body, system for the assessment/verification of the constancy of performance: - certificate of conformity of the factory production:	Sintef Building and Infrastructure ETAG 006 ETA-08/0285 Sintef Building and Infrastructure 2+ 1071–CPR–1510	
9	Declared performance		
	Essential characteristics	Performance	Harmonized technical specification
	ETAG 006 5.1.4.1 Wind uplift testing	Contact GUARDIAN	See ETA-08/0285
	ETAG 006 5.3.7.1 Corrosion resistance	15 cycles (2L SO <sub>2</sub> )	See ETA-08/0285
	ETAG 006 5.3.4.1 Axial loading test (pull over)	F <sub>char</sub> 4830 N	See ETA-08/0285

## **10** Ecology, health and safety information

As per the EC regulation 1907/2006 (REACH) Article 31 a safety data sheet is not required for putting into circulation and placing on the market or using this item. If the item is used as intended and disposed of (disposal or recovery) as per the applicable legislation, the environment is not harmed. This item does not contain any substances that are released under normal conditions or foreseeable conditions of use. There are therefore no registration requirements for substances in this item in the context of Article 7 paragraph 1 of the regulation. Based on our current knowledge this item does not contain any SVHC (Substances of Very High Concern) in concentrations over 0.1 % (w/w) weight by weight as per the candidate list published by the European Chemicals Agency (ECHA).

## 11 Explanation

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by:

## Mark Peeters Manager Business Development

Place and date of issue: Helmond 13/09/2017

(DOP as per EU construction products regulation no. 305/2011)